ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 608 (2000) 173

Journal of Organometallic Chemistry

Author Index of Volume 608

Albrecht, M., 27

Baeza, E., 126
Bajpai, S., 96
Barclay, T., 106
Biesemans, M., 63
Blaurock, S., 21
Boersma, J., 27
Bondarev, O.G., 89
Boys, D., 126
Breher, F., 54
Breunig, H.J., 60
Butcher, R.J., 96

Carrillo, D., 126
Cenini, S., 34
Chan, E.Y.Y., 139
Choi, S.-H., 42
Claver, C., 115
Collomb, M.-N., 146
Cordes, W., 106
Crabtree, R.H., 146

Dalil, H., 63
Davankov, V.A., 89
Davidsson, Ö., 153
del Río, I., 115
Demartin, F., 34
Denk, M.K., 122
de Vos, D., 63
Diéguez, M., 146

Fakhri, S.A., 6
Fuentealba, M., 126

Garland, M., 76
Gavrilov, K.N., 89
Gielen, M., 63
Gossage, R.A., 164
Granata, G., 34
Gupta, B.D., 106

Hagen, H., 27
Hamon, J.-R., 126
Hamon, P., 126
Hey-Hawkins, E., 21
Horn, E., 63

Iovel, I., 1

Johansson, A., 153
Jönsson, M., 60
Jutzi, P., 86

Kemmer, M., 63
Kim, D.H., 133
Kinart, C.M., 49
Kinart, W.J., 49
Korostylev, A.V., 89

Lam, T.C.H., 139
Lath, R., 96
Lenze, N., 86
Leung, W.-H., 139
Lin, Z., 42
Liu, G., 76
Lork, E., 60
Luft, G., 71
Lukevics, E., 1

Mahieu, B., 63
Manzur, C., 126
Martins, J.C., 63
Millan, L., 126
Mishnev, A., 1

Neumann, B., 86

Palmisano, G., 34
Pàmies, O., 115
Pandey, A., 106
Park, D.-S., 133
Penoni, A., 34
Petrovskii, P.V., 89
Pettersson, A., 153
Polosukhin, A.I., 89
Popelis, J., 1
Protasiewicz, J.D., 12

Qanungo, K., 106

Rau, A., 71
Reinoso, S., 27
Rodezno, J.M., 122
Rösler, R., 60

Schmitz, S., 71
Segerer, U., 21
Shah, S., 12
Shim, Y.-B., 133
Shin, S.C., 133
Sieler, J., 21
Singh, V., 106
Spek, A.L., 27
Srivastava, P.C., 96
Stammler, H.-G., 86

Tewari, U., 106
Tiekink, E.R.T., 63
Tollari, S., 34
Tylak, I., 49

Uhl, W., 54

van Koten, G., 27
van Leeuwen, P.W.N.M., 115
Vijaikanth, V., 106
Vosekalna, I., 1

Willem, R., 63
Williams, I.D., 139

Yamuna, R., 106
Yap, G.P.A., 12

Zenouz, A.M., 6

PII: S0022-328X(00)00540-4

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 608 (2000) 175–178

Journal of Organometallic Chemistry

Subject Index of Volume 608

Alkylation
Internal coordination and solvent effects upon hetero- and homo-complexation of chiral lithium amides: structure reactivity effects, 153
Aluminium
The hydroalumination of diethynes with di(*tert*-butyl)aluminium hydride: a facile method for the synthesis of organometallic dialuminium compounds, 54
Aminophosphites
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89
Antimony
Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl-(tris(trimethylsilyl)stibine)chromium, 60
Antitumour activity
Dibutyltin perfluoroalkanecarboxylates: synthesis, NMR characterization and in vitro antitumour activity, 63
Arenehydrazine–iron complex
Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}p\text{-}MeC_6H_4NHN{=}CMe_2)]^+PF_6^-$, 126
Arenehydrazone–iron complex
Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}p\text{-}MeC_6H_4NHN{=}CMe_2)]^+PF_6^-$, 126
Aromatic nucleophilic substitution
Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}p\text{-}MeC_6H_4NHN{=}CMe_2)]^+PF_6^-$, 126
Azo enophile
Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 49

Bonding analyses
Bonding studies of dinuclear transition metal bis(μ-η^2-silane) complexes $[L_nM(\mu\text{-}\eta^2\text{-}HSiR_2)]_2$ by density functional theory, 42
Boron
O,N-Chelated boron aminophenolate complexes. Crystal structure of $BPh_2(OC_6H_4(CH_2NMe_2)\text{-}2)$, 27

Carbenes
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122
Chirality
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89
Chiral lithium amides
Internal coordination and solvent effects upon hetero- and homo-complexation of chiral lithium amides: structure reactivity effects, 153
Chromium
Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl-(tris(trimethylsilyl)stibine)chromium, 60
Cis–trans influence
Synthesis, characterization and *cis–trans* influence in cobaloximes with nioxime, 106
Clusters
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-$[(\eta^5\text{-}C_5H_5)_2Mo_2(O)_2(\mu\text{-}O)\{\mu\text{-}\eta^2{:}\eta^2\text{-}C(Ph){\equiv}C[C_4HS(C_4H_3S\text{-}2)_2\text{-}2,5]\}]$, 133
Cobaloximes
Synthesis, characterization and *cis–trans* influence in cobaloximes with nioxime, 106
Conducting polymers
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-$[(\eta^5\text{-}C_5H_5)_2Mo_2(O)_2(\mu\text{-}O)\{\mu\text{-}\eta^2{:}\eta^2\text{-}C(Ph){\equiv}C[C_4HS(C_4H_3S\text{-}2)_2\text{-}2,5]\}]$, 133
Conformation analysis
Synthesis and structure of mono- and bis-(tricarbonyl-chromium)complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, 6
Crystal structure
Synthesis and structure of mono- and bis-(tricarbonyl-chromium)complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, 6
Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ^1H-, ^{13}C- and ^{119}Sn-NMR data and crystal structure, 86
Cyclic voltammetry
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-$[(\eta^5\text{-}C_5H_5)_2Mo_2(O)_2(\mu\text{-}O)\{\mu\text{-}\eta^2{:}\eta^2\text{-}C(Ph){\equiv}C[C_4HS(C_4H_3S\text{-}2)_2\text{-}2,5]\}]$, 133
Cyclopentadiene
Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ^1H-, ^{13}C- and ^{119}Sn-NMR data and crystal structure, 86
Cyclopentadienyl–iron complex
Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}p\text{-}MeC_6H_4NHN{=}CMe_2)]^+PF_6^-$, 126

Deactivation
The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, 76
Density functional calculations
Bonding studies of dinuclear transition metal bis(μ-η^2-silane) complexes $[L_nM(\mu\text{-}\eta^2\text{-}HSiR_2)]_2$ by density functional theory, 42
Deprotonation
Internal coordination and solvent effects upon hetero- and homo-complexation of chiral lithium amides: structure reactivity effects, 153

PII: S0022-328X(00)00541-6

DFT calculations
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122
1,2;5,6-Dibenzocycloocta-1,5-diene
Synthesis and structure of mono- and bis(tricarbonylchromium)complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, 6
Dibutyltin perfluoroalkanecarboxylates
Dibutyltin perfluoroalkanecarboxylates: synthesis, NMR characterization and in vitro antitumour activity, 63
Dienes
The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, 76
Dinuclear metal–silane complexes
Bonding studies of dinuclear transition metal bis(μ-η^2-silane) complexes $[L_nM(\mu\text{-}\eta^2\text{-}HSiR_2)]_2$ by density functional theory, 42
Diphosphanium
Crystal structure of the phosphanylidene-σ^4-phosphorane DmpP=PMe_3 (Dmp = 2,6-$Mes_2C_6H_3$) and reactions with electrophiles, 12

Electrochemistry
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-[(η^5-C_5H_5)$_2$$Mo_2$-(O)$_2$(μ-O){μ-$\eta^2$:$\eta^2$-C(Ph)≡C[$C_4HS(C_4H_3S$-2)$_2$-2,5]}], 133
Electrochromism
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-[(η^5-C_5H_5)$_2$$Mo_2$-(O)$_2$(μ-O){μ-$\eta^2$:$\eta^2$-C(Ph)≡C[$C_4HS(C_4H_3S$-2)$_2$-2,5]}], 133
Electrophile addition
Crystal structure of the phosphanylidene-σ^4-phosphorane DmpP=PMe_3 (Dmp = 2,6-$Mes_2C_6H_3$) and reactions with electrophiles, 12
Ethylene–1-olefin copolymerization
Synthesis and application in high-pressure polymerization of a titanium complex with a linked cyclopentadienyl-phenoxide ligand, 71

Fluxional processes
O,N-Chelated boron aminophenolate complexes. Crystal structure of $BPh_2(OC_6H_4(CH_2NMe_2)$-2), 27

Half-sandwich metallocene
Synthesis and application in high-pressure polymerization of a titanium complex with a linked cyclopentadienyl-phenoxide ligand, 71
Heterocyclic organotellurium
Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene; 1,1,2,3,4,5,6-heptahydro-1,1-diiodotellurane and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl diiodide, 96
1*H*-indole-1-methyl-2-(2′-pyridinyl)
Carbene complexes of cycloplatinated 1*H*-indole-1-methyl-2-(2′-pyridine). The crystal and molecular structure of σ-{Pt[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N′](DMSO)Cl} and of σ-{Pt[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N′)][=C(OCH_2CH_3)($CH_2C_6H_5$)]Cl}, 34
HOESY-NMR
Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, 153
HPIR
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115
HPNMR
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115
Hydroalumination
The hydroalumination of diethynes with di(*tert*-butyl)aluminium hydride: a facile method for the synthesis of organometallic dialuminium compounds, 54
Hydroformylation
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115
The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, 76
Hydrogen–deuterium exchange
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122

Imidazol-2-ylidenes
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122
Insertion reaction
Formation of novel P-functionalised ligands by insertion of CyNC into the Zr–P bonds of [Cp°_2ZrCl(PHCy)] (Cp° = η^5-C_5EtMe_4, Cy = cyclohexyl) and [Cp'_2ZrCl(PHTipp)] (Cp′ = η^5-C_5H_4Me, Tipp = 2,4,6-$Pr^i_3C_6H_2$). Molecular structures of [Cp°_2ZrCl{η^2-NCyC(PHCy)}] and [Cp'_2Zr(Cl){η^2-NCy-C(PHTipp)}], 21
Intermolecular secondary bonds
Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene; 1,1,2,3,4,5,6-heptahydro-1,1-diiodotellurane and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl diiodide, 96
Internal coordination
Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, 153
Ion-pair
Organometallic color chemistry: studies on [FcCH=CHC_5H_4-$NCH_2C_6H_4$(^{t}Bu)]X (X = BPh_4^-, ClO_4^-), 146
Isonitriles
Formation of novel P-functionalised ligands by insertion of CyNC into the Zr–P bonds of [Cp°_2ZrCl(PHCy)] (Cp° = η^5-C_5EtMe_4, Cy = cyclohexyl) and [Cp'_2ZrCl(PHTipp)] (Cp′ = η^5-C_5H_4Me, Tipp = 2,4,6-$Pr^i_3C_6H_2$). Molecular structures of [Cp°_2ZrCl{η^2-NCyC(PHCy)}] and [Cp'_2Zr(Cl){η^2-NCy-C(PHTipp)}], 21

Kinetics
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115

Ligand substitution
Carbene complexes of cycloplatinated 1*H*-indole-1-methyl-2-(2′-pyridine). The crystal and molecular structure of σ-{Pt[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N′](DMSO)Cl} and of σ-{Pt[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N′)][=C(OCH_2CH_3)($CH_2C_6H_5$)]Cl}, 34
Lithium perchlorate
Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 49

Mechanism
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122

Metalloene reaction
Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 49
Mixed complexes
Internal coordination and solvent effects upon hetero- and homo-complexation of chiral lithium amides: structure reactivity effects, 153
Molecular structure
Formation of novel P-functionalised ligands by insertion of CyNC into the Zr–P bonds of $[Cp^{\circ}_2ZrCl(PHCy)]$ ($Cp^{\circ} = \eta^5$-C_5EtMe_4, Cy = cyclohexyl) and $[Cp'_2ZrCl(PHTipp)]$ ($Cp' = \eta^5$-C_5H_4Me, Tipp = 2,4,6-$Pr^i_3C_6H_2$). Molecular structures of $[Cp^{\circ}_2ZrCl\{\eta^2$-NCyC(PHCy)$\}]$ and $[Cp'_2Zr(Cl)\{\eta^2$-NCy-C(PHTipp)$\}]$, 21

Nioxime
Synthesis, characterization and *cis–trans* influence in cobaloximes with nioxime, 106
NMR
Dibutyltin perfluoroalkanecarboxylates: synthesis, NMR characterization and in vitro antitumour activity, 63
NMR spectroscopy
Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ^1H-, ^{13}C- and ^{119}Sn-NMR data and crystal structure, 86

Oligothiophenes
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-$[(\eta^5$-$C_5H_5)_2Mo_2$-$(O)_2(\mu$-$O)\{\mu$-η^2:η^2-C(Ph)≡C$[C_4HS(C_4H_3S$-2$)_2$-2,5$]\}]$, 133
Optically active Schiff base
Synthesis, characterization and X-ray structure of *N*-2-pyridylmethylidene-1-phenylethylamine–$PdCl_2$ complexes, 1
Organometallic dyes
Organometallic color chemistry: studies on $[FcCH{=}CHC_5H_4N$-$CH_2C_6H_4(^tBu)]X$ ($X = BPh_4^-$, ClO_4^-), 146
Organosilane
Structurally characterised silyls, 164
Oxygen tripod ligand
Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, 139

Palladium complexes
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89
Palladium(II) complex
Synthesis, characterization and X-ray structure of *N*-2-pyridylmethylidene-1-phenylethylamine–$PdCl_2$ complexes, 1
Phenolate
O,N-Chelated boron aminophenolate complexes. Crystal structure of $BPh_2(OC_6H_4(CH_2NMe_2)$-2), 27
Phosphanylidene-σ^4-phosphorane
Crystal structure of the phosphanylidene-σ^4-phosphorane DmpP=PMe_3 (Dmp = 2,6-$Mes_2C_6H_3$) and reactions with electrophiles, 12
Phosphinidene
Crystal structure of the phosphanylidene-σ^4-phosphorane DmpP=PMe_3 (Dmp = 2,6-$Mes_2C_6H_3$) and reactions with electrophiles, 12
Phosphoniodithiocarboxylate
Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, 139
Phosphorus
Crystal structure of the phosphanylidene-σ^4-phosphorane DmpP=PMe_3 (Dmp = 2,6-$Mes_2C_6H_3$) and reactions with electrophiles, 12

Platinum carbene complexes
Carbene complexes of cycloplatinated 1*H*-indole-1-methyl-2-(2′-pyridine). The crystal and molecular structure of σ-{Pt[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N′](DMSO)Cl} and of σ-{Pt[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N′)][=$C(OCH_2CH_3)(CH_2C_6H_5)$]Cl}, 34
P,N-ligands
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89
Polymorph
O,N-Chelated boron aminophenolate complexes. Crystal structure of $BPh_2(OC_6H_4(CH_2NMe_2)$-2), 27
Polymorphism
Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene; 1,1,2,3,4,5,6-heptahydro-1,1-diiodotellurane and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl diiodide, 96
Proton affinities
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122

Quincoridine derivatives
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89

Rearrangement
The hydroalumination of diethynes with di(*tert*-butyl)aluminium hydride: a facile method for the synthesis of organometallic dialuminium compounds, 54
Rhodium complexes
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89
The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, 76
Ruthenium
Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, 139

Sandwich complex
Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5$-Cp$)(\eta^6$-$C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5$-Cp$)(\eta^6$-*p*-$MeC_6H_4NHN{=}CMe_2)]^+PF_6^-$, 126
Silane
Structurally characterised silyls, 164
Silicon
Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl(-tris(trimethylsilyl)stibine)chromium, 60
Structurally characterised silyls, 164
Silyl
Structurally characterised silyls, 164
Singlet oxygen
Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 49
Solid-state
Structurally characterised silyls, 164
Solvent effect
Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 49
Stereoisomers
Synthesis and structure of mono- and bis-(tricarbonylchromium)-complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, 6

Structure
Synthesis, characterization and X-ray structure of *N*-2-pyridylmethylidene-1-phenylethylamine–$PdCl_2$ complexes, 1
Styrene
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115
Supramolecular assemblies
Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene; 1,1,2,3,4,5,6-heptahydro-1,1-diiodotellurane and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl diiodide, 96

Tetrarhodium dodecacarbonyl
The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, 76
Thiocarbonyl
Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, 139
Tin
Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ^{1}H-, ^{13}C- and ^{119}Sn-NMR data and crystal structure, 86
Trans–cis isomerization
Organometallic color chemistry: studies on [FcCH=CHC$_5$H$_4$N-CH$_2$C$_6$H$_4$(^{t}Bu)]X (X = BPh_4^-, ClO_4^-), 146

Tricarbonylchromium complexes
Synthesis and structure of mono- and bis-(tricarbonylchromium)-complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, 6

X-ray crystal structure
Structurally characterised silyls, 164
X-ray diffraction
Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl-(tris(trimethylsilyl)stibine)chromium, 60
X-ray structure
Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of [Fe(η^5-Cp)(η^6-C$_6$H$_5$NHNH$_2$)]$^+$ PF_6^- and [Fe(η^5-Cp)(η^6-*p*-MeC$_6$H$_4$NHN=CMe$_2$)]$^+$ PF_6^-, 126

Zirconocene phosphanido complexes
Formation of novel P-functionalised ligands by insertion of CyNC into the Zr–P bonds of [Cp°$_2$ZrCl(PHCy)] (Cp° = η^5-C$_5$EtMe$_4$, Cy = cyclohexyl) and [Cp′$_2$ZrCl(PHTipp)] (Cp′ = η^5-C$_5$H$_4$Me, Tipp = 2,4,6-Pr$^i_3$C$_6$H$_2$). Molecular structures of [Cp°$_2$ZrCl{η^2-NCyC(PHCy)}] and [Cp′$_2$Zr(Cl){η^2-NCy-C(PHTipp)}], 21